

SYNERGIZE® RTU

DISINFECTANT

BACTERICIDAL* • VIRUCIDAL* • FUNGICIDAL
*See Directions for Use for list of approved organisms.

Active Ingredients:

Alkyl (C ₁₂ 67%, C ₁₄ 25%, C ₁₆ 7%, C ₁₈ 1%)	0.102%
dimethyl benzyl ammonium chloride	0.027%
Glutaraldehyde	99.871%
Total	100.00%

EPA Reg. No. 66171-107	EPA Est. No. 66171-TN-001
Patent Number 5,891,922	EPA Est. No. 66171-CA-001
	EPA Est. No. 61282-WI-01
	EPA Est. No. 47000-IA-01

(First letter of batch number indicates establishment)

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for additional Precautionary Statements

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
If you do not understand the label, find someone to explain it to you in detail.

Net Contents: 1 gal. (3.78 L)



FIRST AID

If Swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor immediately for treatment advice.

GENERAL INFORMATION

GENERAL INFORMATION: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For non-emergency and general information on product use, etc., information pertaining to this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378, 8:00 am – 12:00 pm Pacific Standard Time, Monday – Friday; email: npic@ace.orst.edu; or website: www.npic.orst.edu. For emergencies, call the poison control center 1-800-222-1222.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequent repeated skin contact may cause an allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to birds, fish, and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk.

SYNERGIZE RTU is a multi-purpose disinfectant-cleaner when used according to disinfection directions. **SYNERGIZE RTU** provides a broad spectrum kill of gram negative and gram positive microorganisms. **SYNERGIZE RTU** provides effective disinfecting and cleaning in one operation when used according to disinfection directions.

SYNERGIZE RTU is for use on glazed ceramic and tile surfaces, stainless steel, aluminum, chrome, galvanized metal, tin, brass, zinc, glass, hard non-porous treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), vinyl, sealed fiberglass, Viton, ethylene propylene, nitrile, acrylic and polyurethane.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Registered for disinfecting and cleaning hard non-porous surfaces. Not for use on feed, food or litter.

USE DIRECTIONS:

To disinfect and clean hard non-porous surfaces of walls, floors, tables, sinks, and garbage cans in non-animal

areas associated with the sites noted. Thoroughly clean all surfaces of visible soil. Apply the ready-to-use solution to pre-cleaned surfaces. Apply with cloth, sponge, mop or mechanical coarse spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry before reuse.

VEHICLES: To disinfect the non-porous, hard surfaces of vehicles apply using a high pressure or coarse spray system. Leave all treated surfaces exposed to solution visibly wet for 10 minutes, or more, and allow to air dry. All treated surfaces that will contact feed or drinking water must be thoroughly scrubbed with soap or detergent then rinsed with potable water before reuse. This cleaning/rinsing step is only necessary on food contact surfaces.

***SYNERGIZE RTU** was found to be effective against the following organisms in the presence of 5% organic load:

Avian Influenza A (H3N2)*	<i>Pseudomonas aeruginosa</i> *
<i>Aspergillus fumigatus</i>	<i>Salmonella enterica</i> *
<i>Escherichia coli</i> F18*	<i>Salmonella enteritidis</i> *
Feline Calicivirus*	<i>Staphylococcus aureus</i> *
<i>Haemophilus parasuis</i> *	<i>Streptococcus equi</i> * (strangles)
<i>Haemophilus somnus</i> *	<i>Streptococcus equi sub Zoepideicus</i> *
Porcine Circovirus Type 2*	<i>Streptococcus suis</i> *
Porcine Epidemic Diarrhea Virus*	Vesicular stomatitis virus
Porcine Respiratory & Reproductive Syndrome Virus* (PRRS)	

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE:

Store away from heat. Do not transfer to another container. Do not reuse empty container

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(For containers 5 gallons or less) Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Dispose of rinsate as noted in the pesticide disposal section. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

General: Consult Federal, state or local disposal authorities for approved alternative procedures.

LIMITED WARRANTY

To the extent permitted by applicable law, Preserve International and Neogen Corporation make no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Preserve International and Neogen Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g., current product information), call: **1-800-621-8829**.



Manufactured by: Preserve International®
944 Nandino Blvd., Lexington, KY 40511 U.S.A.
Preserve International® is a wholly-owned subsidiary
of Neogen® Corporation.
L6952-0122

Item No. 433610/1



7 89703 00606 8